



CLASSIC AWNING

Optional



UV proof



Water proof



Easy assembly



With motor and
remote control



With dimable
LED



With solar panel

CONTENTS


AWNING

SCREEN&WINDOW

CANOPY




KD AWNING



TSP 111A

Fabric: 280g/m² polyester
 Alu roller: Ø60mm, C35
 Steel torsion bar: 35x35mm
 Alu front bar Type F: 39x47mm
 Alu arms Type C: 58x29/48x21mm
 Patented Twist & Lock connector
 Steel manual crank 148cm



Size	Carton Size(CM)			Loading(PC)		
	L	W	H	20'	40'	40'HQ
250×200	130	35	13	436	918	1089
295×200	161	35	13	370	800	930
350×200	180	35	13	324	660	741
395×250	200	35	13	268	574	681





CLASSIC MANUAL AWNING



TSP 1101A

Fabric: 280g/m2 polyester
 Steel Torsion bar: 35x35mm
 Alu Roller: $\Phi 60$
 Alu Front Bar Type A: 46x30
 Alu Arm Type A: 51x27/45x23mm
 Steel hand crank 160cm

4x3M, 4.5x3M
 Alu Front bar: 51x39mm
 Alu Arm Type B: 58x29/50x25mm




Size	Carton Size(CM)			Loading(PC)		
	L	W	H	20'	40'	40'HQ
191x150	197	18	16	490	1014	1152
250x200	252	18	16	370	725	810
295x200	297	18	16	185	725	810
295x250	297	18	16	370	725	810
350x250	352	18	16	185	540	610
395x300	397	21.5	16.5	142	426	489
450x250	352	21.5	16.5	142	284	326
450x300	397	21.5	16.5	142	284	326

AWNING WITH PITCH ADJUST



TSP 1120A

- Fabric: 280g/m2 polyester
- Steel torsion bar: 35x35mm
- Alu roller: $\Phi 70$ mm B40
- Alu front Bar Type B: 51x39mm
- Alu Arms Type B: 58x29/50x25mm
- Easy pitch regulator
- Manual steel crank 160cm
- 2 Wall brackets



Size	Carton Size(CM)			Loading(PC)		
	L	W	H	20'	40'	40'HQ
195x150	197	20	15.5	369	834	966
295x250	297	20	15.5	139	556	644
350x250	352	20	15.5	139	417	483
395x250	397	20	15.5	139	417	483
395x300	397	20	15.5	139	417	483
450x250	452	20	15.5	139	278	322
450x300	452	20	15.5	139	278	322

SEMI-CASSETTE AWNING



TSP 1201A

Fabric: 280g/m² polyester
 Alu rain plate: W145xH56mm
 Alu end cover: W150xH195xT43mm
 Steel square tube: 40x40mm
 Alu roller: Φ70mm
 Alu Front Bar Type D: 53x43mm
 Alu Arms Type B: 58x29/50x25mm
 Manual steel crank 160cm



Size	Carton Size (CM)			Loading (PC)		
	L	W	H	20'	40'	40'HQ
1 95 × 150	197	21	16.5	370	840	960
295 × 200	297	21	16.5	140	560	640
295 × 250	297	21	16.5	140	560	640
350 × 250	352	21	16.5	140	420	480
350 × 300	352	21	16.5	140	420	480
395 × 250	397	21	16.5	140	420	480
395 × 300	397	21	16.5	140	420	480
500 × 300	497	21	16.5	140	280	320

FULL CASSETTE AWNING



TSP 1307 A



Fabric: 280g/m² polyester

Alu cover: 172x69mm

Alu roller: Φ70mm

Alu front bar: 116x56mm

Alu Arms Type B: 62x30/52x26mm

Steel Torsion bar: 40x40mm

Manul crank 160cm



special parts: motor w/ manual crank

Including motor, manual crank, swith box, remote control



Wind sensor


Size	Carton Size(CM)			Loading(PC)		
	L	W	H	20'	40'	40'HQ
250×200	254	23.5	19	198	396	468
295×200	299	23.5	19	99	396	468
295×250	299	23.5	19	99	396	468
350×250	354	23.5	19	99	297	351
395×250	399	23.5	19	99	297	351
395×300	399	23.5	19	99	297	351
450×300	454	23.5	19	99	198	234
500×300	504	23.5	19	99	198	234
550×300	554	23.5	19	99	198	234
595×300	599	23.5	19	/	198	284

FULL CASSETTE AWNING



TSP 1304 A

Fabric: 280g/m² polyester
 Alu support hood: 165x48.5mm
 Alu top hood: 157x125mm
 steel roller: Φ80mm
 Alu front bar: 120x64mm
 Alu arms: 58x29/50x27mm




Size	Carton Size(CM)			Loading(PC)		
	L	W	H	20'	40'	40'HQ
200×150	225	26	20	206	436	507
250×200	275	26	20	160	320	348
295×250	320	26	20	80	240	288
350×300	375	26	20	80	240	288
395×300	426	26	20	80	240	288
450×300	481	26	20	80	160	192
500×300	531	26	20	80	160	192
550×300	595	26	20	/	160	192
595×300	640	26	20	/	80	96

FULL CASSETTE AWNING



TSP 1305A

Fabric: 280g/m² Acrylic Uv50+
 Alu upper shell: 141x105mm
 Alu under shell: 115x91mm
 Alu roller: Φ80mm
 Alu front bar: 175x65mm
 Alu arms: 60x31/50x28mm




Size	Carton Size(CM)			Loading(PC)		
	L	W	H	20'	40'	40'HQ
250×200	298	27	19.5	88	352	384
295×200	298	27	19.5	88	352	384
295×250	298	27	19.5	88	352	384
350×200	353	27	19.5	88	264	288
350×250	353	27	19.5	88	264	288
350×300	353	27	19.5	88	264	288
395×250	398	27	19.5	88	264	288
395×300	398	27	19.5	88	264	288
450×300	453	27	19.5	88	176	192
500×300	503	27	19.5	88	176	192
550×300	553	27	19.5	88	176	192
595×300	598	27	19.5	/	176	192

FULL CASSETTE AWNING



TSP 1306 A

- Fabric: 280g arylc UV50+
- Steel roller: $\Phi 80\text{mm}$
- Alu under shell: 187x48mm
- Alu top shell: 178x107mm
- Alu end cover: 216x151mm
- Alu front bar: 145x55mm
- Alu arms: 60x31/50x28mm
- Patented LED strips on the arms



Size	Carton Size(CM)			Loading(PC)		
	L	W	H	20'	40'	40'HQ
250x200	298	27	19.5	176	352	384
295x200	298	27	19.5	88	352	384
295x250	298	27	19.5	88	352	384
350x200	353	27	19.5	88	264	288
350x250	353	27	19.5	88	264	288
350x300	353	27	19.5	88	264	288
395x250	398	27	19.5	88	264	288
395x300	398	27	19.5	88	264	288
450x300	453	27	19.5	88	176	192
500x300	503	27	19.5	88	176	192
550x300	553	27	19.5	88	176	192
595x300	598	27	19.5	/	176	192

CONTENTS

| CLASSIC AWNING



TSP 1111 A KD AWNING

TSP 1101 A CLASSIC MANUAL AWNING

TSP 1120 A AWNING WITH PITCH ADJUST

TSP 1201 A SEMI-CASSETTE AWNING

TSP 1307 A FULL CASSETTE AWNING


TSP 1304 A FULL CASSETTE AWNING

TSP 1305 A FULL CASSETTE AWNING

TSP 1306 A FULL CASSETTE AWNING

CONTENTS

| OUTDOOR BLIND



TSP 2026A

WINDOW SUNSHADE

TSP 2030A

FIXED ARM AWNING

TSP 4031A

SHADECLOTH RETRACTABLE

TSP 4037A

ROLLER BLIND WITH PELMET

TSP 4034A

MULITI-STOP OUTDOOR BLIND W/ HEAD BOX

WINDOW SUNSHADE



TSP 2026A

Fabric: 280g/m2 polyester
 Steel support: 125x88x34 mm
 Alu roller: Φ60mm
 steel front Bar: Φ32xδ1mm
 Wall/Ceiling 2 ways brackets
 Manual crank 1.6M



Size	Carton Size(CM)			Loading(PC)		
	L	W	H	20'	40'	40'HQ
250×250	252	16	8	598	1196	1352
295×250	297	16	8	299	1196	1352
395×250	297	16	8	299	897	1014





FIXED ARM AWNING




TSP 2030A

Fabric: 280g/m² Polyester Canvas, Uv99%
 Alu roller: Φ 50mm
 Alu semi-cassette: L120.2xW100mm
 Alu front bar: 56x37.5mm
 Zinc plated steel rails: Φ 12mm L200cm
 2pcs
 Zinc plated brackets 2pcs
 Alu manual Hook 140cm



Size	Carton Size(CM)			Loading(PC)		
	L	W	H	20'	40'	4'0"HQ
150×210	161.5	15	14	630	1372	1568
180×210	191.5	15	14	518	1148	1312
210×210	221.5	15	14	462	980	1120
240×210	251.5	15	14	364	728	832

SHADECLOTH RETRACTABLE



TSP 4031A

- Fabric: 185g/m² PE Mesh, UV90%
- Alu roller: $\Phi 38 \times 0.8 \text{mm}$
- Steel bottom rail: $\Phi 32 \times \delta 0.8 \text{mm}$
- Foldable brackets

Size	Carton Size(CM)			Loading(PC)		
	L	W	H	20'	40'	40'HQ
120×210	131	15	10	2620	5278	6072
150×210	161	15	10	2100	4536	5176
180×210	191	15	10	1808	4000	4598
210×210	221	15	10	1632	3444	3954
240×210	251	15	10	1280	2560	2976

ROLLER BLIND WITH PELMET



TSP 4037A

- Alu Pelmet: 73x70mm
- Alu roller: Ø38mm
- Steel bottom bar: Ø25mm
- Fabric: PE Mesh 185g/m²
- Gear box and foldable manual crank
- Steel bracket wall/Ceiling fix
- 1pc in one color box, 2pcs in one brown carton

Size	Carton Size(CM)			Loading(PC)		
	L	W	H	20'	40'	40'HQ
150×240	157	19	12	1122	2618	3080
140×250	147	19	12	1550	3500	4000
160×250	167	19	12	1300	3000	3500

MULITI-STOP OUTDOOR BLIND W/ HEAD BOX



TSP 4034A

- Fabric: Sunscreen 420g/m²,
- UV98% W2900 x L1800mm
- PVC head box: 80 x 85mm L2924
- Alu roller: Ø38 T1.0mm L2910mm
- Steel bracket: 98x40mm
- Alu rail: L1800 x W58 x H40 T2.2mm
- Alu bottom bar: 55x39.3 2pcs L2920mm

Size	Carton Size(CM)			Loading(PC)		
	L	W	H	20'	40'	40'HQ
295×180	304	19	11	240	960	1152
240×180	244	19	11	240	960	1152

LONGSPAN DOUBLE SLOPE



TSP 5017A

Fabric:280g/m2 Acrylic
 Alu.Cover:233.5x49mm
 Alu Roller:Φ70mm
 Alu front Bar Type B: 51.2x39.2mm
 Alu arms Type B:58x29/50x25mm
 Main Column: 80x40mm curved
 Steel x base base cross 380cm
 No.2 post packing920g/m2 carton packing



Size	Carton Size(CM)			Loading(PC)		
	L	W	H	20'	40'	40'HQ
295×300	297	45	21	50	200	240
395×300	401	42	41	50	150	180



DOOR CANOPY



103

TSP 6034 A

Nylon frame: 800x240x55mm

Front bar: 32x14mm

Back bar: 43.7x11.8mm

Clear Polycarbon solid slab 3mm



Size	Carton Size(CM)			Loading(PC)		
	L	W	H	20'	40'	40'HQ
80×80	88	78	9.5	616	1320	1560
80×100	98	78	9.5	588	1260	1380
80×120	116	78	9.5	504	1080	1200



CONTENTS

| **SIDE AWNING**



| **DOUBLE SIDE AWNING**




SIDE AWNING



TSP 2016A

Fabric: 280g/m2 polyester
 Alu roller: Ø50mm
 Plastic end cover: 106x95mm
 Alu front bar: 35x18mm
 Removable Alu standing pole: 58x35mm
 Including spare parts for fixing on wall,
 for attaching the standing pole,
 and self-luminate cover for base.



Size	Carton Size(CM)			Loading(PC)		
	L	W	H	20'	40'	40'HQ
160×300	166	18	12.5	592	1280	1520
140×300	146	18	12.5	640	1456	1720
120×300	126	18	12.5	768	1664	1976
180×300	186	18	12.5	544	1136	1349



SIDE AWNING XL



TSP 2017A


Folding screen XL
 Size: L450x H160cm Fabric: 280g/m2 polyester UV50+
 Alu roller: $\Phi 40\text{mm}$ $\delta 1\text{mm}$
 Plastic end cover Alu cover: 106x95mm $\delta 1.5\text{mm}$
 Alu front bar: 35x18mm $\delta 1.5\text{mm}$
 Single function Alu standing pole: 60x55mm $\delta 1.3\text{mm}$
 2 Alu wall bracket for awning
 1 set wall hook parts for front bar



Size	Carton Size(CM)			Loading(PC)		
	L	W	H	20'	40'	40'HQ
160x300	166	18	12.5	592	1280	1520
140x300	146	18	12.5	640	1456	1720
120x300	126	18	12.5	768	1664	1976
180x300	186	18	12.5	544	1136	1349
XL160x450	166	18	12.5	592	1280	1520



DOUBLE SIDE AWNING



TSP 2018A

Fabric: 280g/m2 Polyester
 Alu roller: Ø50mm
 Plastic end cover 214x118x25mm
 Alu cassette: 185.5x66mm
 Removable Alu standing pole: 58x35mm
 Including 1 set spare parts for fixing on wall, and self-luminate cover for base.



Size	Carton Size(CM)			Loading(PC)		
	L	W	H	20'	40'	40'HQ
160×300	165	30	13	368	816	918
180×300	185	30	13	336	704	792



CLASSIC AWNING

OUTDOOR BLIND



DOOR CANOPY



UV proof



Water proof



Easy assembly



With motor and
remote control



With dimable
LED



With solar panel

info@tbcblinds.com.tw